

## **2003 Fairway Height Bentgrass Cultivar Trial-2007 Data**

*Nick E. Christians and Christopher J. Blume*

This is the 4<sup>th</sup> year of data collection from the Fairway Height bentgrass trial that was established in the fall of 2003. The area was maintained at a 0.5 inch mowing height. This is a National Turfgrass Evaluation (NTEP) trial and is being conducted at several research stations in the U.S. It contains 28 of the newest seeded cultivars and a number of experimental cultivars. The cultivars are maintained with 4 lbs of N/1000 ft<sup>2</sup>/growing season. Fungicides are used as needed in a preventative program, and herbicides and insecticides are also applied as needed.

Visual quality was evaluated monthly in 2007 from April through October (Table 1). The values listed under each month in Table 1 are the means of visual quality ratings made on three replicated plots. Visual quality was based on a scale of 9 to 1, with 9 = best quality, 6 = lowest acceptable quality, and 1 = worst quality. The yearly average of the monthly data for each cultivar was calculated and is listed in the last column (Mean). The first cultivar listed in Table 1 had the highest average visual quality rating for the entire 2007 season. The cultivars are listed in descending order by average quality. The last row states the LSD (least significant difference), which is a statistical measurement of how widely the datum in each column must vary before they are considered to be different from one another.

Green up was observed in April 2007. Data for genetic color (Gen Color) and leaf texture (Leaf Tex) were also collected in June 2007. Genetic color was rated using a 9 to 1 scale, with 9 = dark and 1 = light green. Leaf texture was assessed with a 9 to 1 scale, with 9 = fine and 1 = coarse texture.

All cultivars are creeping bentgrass, with the exceptions of Bardot, Tiger II, IS-AT 7, SR 7150, PST-9NBC, and PST-9VN, which are colonial bentgrass.

**Table 1.** 2007 visual quality and other ratings for the 2003 Fairway Height Bentgrass Cultivar Trial. All cultivars are creeping bentgrass, with the exceptions of Bardot, Tiger II, IS-AT 7, SR 7150, PST-9NBC, and PST-9VN, which are colonial bentgrass.

NAME	GENCOLOR	GREENUP	LEAFTEX	Quality							MEAN
				APR	MAY	JUN	JUL	AUG	SEP	OCT	
PENNEAGLE II	7.7	7.0	7.0	7.3	7.7	7.7	8.7	7.0	6.7	7.3	7.5
CRYSTAL BLUELINKS (PST-OEB)	9.0	7.0	6.3	6.7	8.0	7.7	8.3	7.0	6.3	8.0	7.4
L-93	8.0	7.0	6.7	7.0	7.0	7.0	8.0	7.3	6.3	7.7	7.2
AUTHORITY (235050)	7.3	6.3	8.3	6.3	6.7	8.3	8.3	7.0	6.3	6.7	7.1
SHARK (23R)	7.7	6.0	7.3	6.7	6.7	8.3	6.7	7.3	7.0	7.3	7.1
T-1	9.0	7.0	6.3	7.3	7.3	7.3	8.7	7.0	6.0	6.3	7.1
13-M	7.7	6.3	6.7	6.3	6.0	7.0	7.3	7.0	6.7	7.7	6.9
BENGAL	8.3	5.0	7.3	6.3	6.7	7.0	8.3	6.7	6.3	7.0	6.9
IS-AP 14	7.7	5.0	7.0	7.0	6.7	8.0	7.0	6.7	6.0	6.7	6.9
MACKENZIE (SRX 1GPD)	7.7	6.3	8.0	6.7	6.3	8.3	7.7	7.0	5.7	6.3	6.9
PENNCROSS	8.0	5.7	5.7	5.7	6.3	6.0	8.3	7.3	7.0	7.7	6.9
ALPHA	8.3	7.0	6.7	6.3	7.3	7.0	8.7	7.0	5.3	5.7	6.8
EWTR	8.0	7.0	7.0	6.0	6.7	7.0	8.3	7.3	5.7	6.7	6.8
INDEPENDENCE	8.7	6.0	6.3	6.3	7.0	6.7	8.0	7.0	6.0	6.7	6.8
KINGPIN (9200)	8.3	6.7	6.0	6.0	7.0	7.0	7.3	6.3	6.0	7.7	6.8
PENNLINKS II	7.0	5.7	6.0	6.0	7.7	7.0	7.7	6.3	6.3	6.7	6.8
PRINCEVILLE	7.3	6.3	6.0	6.0	7.0	6.7	8.0	6.7	6.0	7.0	6.8
SR 1119	8.7	7.0	6.7	7.0	7.3	6.0	7.7	7.7	5.7	6.3	6.8
LS-44	8.3	7.0	6.7	5.7	7.0	6.7	7.0	7.0	6.0	6.3	6.5
SR 7150	7.3	5.7	6.0	6.3	7.0	6.0	8.0	6.0	5.7	6.3	6.5
TIGER II	7.0	6.7	6.0	6.3	6.3	5.7	7.7	6.0	6.3	7.0	6.5
BARDOT	8.0	6.3	6.3	6.0	6.0	7.0	7.0	6.0	6.0	6.7	6.4
IS-AT 7	8.3	6.3	6.0	6.0	6.3	6.0	7.7	6.0	6.3	6.7	6.4
PST-9NBC	7.7	6.0	5.7	6.3	6.7	6.3	7.7	6.3	5.3	6.3	6.4
SR 1150 (SRX 1PDH)	6.7	6.3	6.3	6.3	6.3	6.3	6.3	6.7	6.0	6.7	6.4
PST-9VN	7.7	6.3	7.0	6.0	6.3	6.3	7.0	6.3	5.7	6.0	6.2
DECLARATION	8.0	5.3	6.0	5.7	7.0	6.7	7.3	5.7	5.0	5.7	6.1
SEASIDE	6.7	5.7	6.0	5.7	6.3	5.7	6.7	5.3	5.3	5.7	5.8
LSD	1.7	2.3	2.7	1.1	2.5	1.9	2.4	2.8	1.8	2.1	0.9